Complete Listing of the Claims

This listing of claims will replace all prior versions, and listings, of claims in this application.

Claims 1-19 (Canceled)

- 20. (Currently amended) A pharmaceutical composition comprising:
- (a) N-{2-[4-((R)-2-hydroxy-2-phenylethylamino)phenyl]ethyl}-(R)-2-hydroxy-2-(3-formamido-4-hydroxyphenyl)ethylamine dihydrochloride;
 - (b) a buffering agent; and
 - (c) water:

wherein the buffering agent is present in an amount sufficient to <u>maintain provide</u> the composition <u>at</u> [with] a pH in the range of <u>about 5 to about 5.5 and wherein the</u> composition is stable upon storage <u>between about 4 and about 6</u>.

21 Canceled

- 22. (Original) The pharmaceutical composition of Claim 20 where the buffering agent comprises a citrate species.
- (Original) The pharmaceutical composition of Claim 20 wherein the composition is isotonic.
- (Original) The pharmaceutical composition of Claim 23 wherein the composition further comprises a sufficient amount of sodium chloride to render the composition isotonic.
- (Original) The pharmaceutical composition of Claim 20, wherein the composition further comprises a surfactant.

 (Original) The pharmaceutical composition of Claim 20, wherein the composition further comprises a therapeutically effective amount of one or more other therapeutic agents.

27. (Canceled)

- 28. (Withdrawn currently amended) A process for preparing [a] <u>the</u> pharmaceutical composition <u>of Claim 20 for use in a nebulizer</u>, the process comprising the steps of:
- (a) dissolving crystalline N-{2-[4-((R)-2-hydroxy-2-phenylethylamino)phenyl]ethyl}-(R)-2-hydroxy-2-(3-formamido-4-hydroxyphenyl)ethylamine dihydrochloride in an acidic aqueous solution comprising a buffering agent; and
- (b) adding a base until the composition has a pH of between about 5.5 4-and about 6.
- (Withdrawn) The process of Claim 28 wherein the acidic aqueous solution is an isotonic solution.
- 30. (Withdrawn) The process of Claim 28 wherein step (b) comprises adding NaOH until the composition has a pH in the range of between about 5 and about 5.5.

Claims 31-40 (Canceled)

- 41. (New) The pharmaceutical composition of Claim 22 wherein the percentage of N-{2-[4-((R)-2-hydroxy-2-phenylethylamino)phenyl]ethyl}-(R)-2-hydroxy-2-(3-formamido-4-hydroxyphenyl)ethylamine remaining in the composition after storage for four months at 25 °C is greater than about 95 %.
- (New) The pharmaceutical composition of Claim 22 wherein the amount of N-{2-[4-((R)-2-hydroxy-2-phenylethylamino)phenyl]ethyl}-(R)-2-hydroxy-2-(3-

formamido-4-hydroxyphenyl)ethylamine remaining in the composition after storage for nine months at 5 °C is essentially unchanged.

43. (New) The process of Claim 29 wherein the acidic aqueous solution is an aqueous solution comprising citric acid and 0.9 % sodium chloride.